

**HERETICAL PHYSICS-III
NO BIG BANG C.M.B.**

J.E.Miller hlampton@bigpond.com.au

ABSTRACT

To present an argument, based on a timeline of fossil dating, that planet Earth has been subject to a slow drying out of oceans during the past 600 million years. A slow change of environment has allowed for the evolution of species to adapt from water oxygen to air oxygen.

CMB is generated from the disappearance of this seawater, which at one time covered the earth to a depth of a least 3,000m above today's ocean level. Geological strata evidence clearly defines these structures e.g. Grand Canyon in U.S.A. to Ayres Rock in Australia.

Similar dated fossil beds are identified in America, China and Australia. Hydrogen has energy discharge levels in the microwave bandwidth. So what physical process would be the result of such an energy cycle?

KEY WORDS

Electrolysis, Fuel cell, Sedimentary Layers, Fossil Column Record.

INTRODUCTION

CMB is postulated to be a big-bang relic, which states that the Universe was initially condensed into a golf-ball sized sphere. Based on black-hole hypothesis its gravitational attraction would be beyond imagination and could not expel matter at any velocity i.e. an impossible event, therefore relic radiation cannot be attributed to such impossibility.

In this postulate the electrolysis of seawater provides an abundant hydrogen source for this ongoing C.M.B. process.

DATA

- 1) Andrew Parker's ; - 'THE GENESIS ENIGMA' contains a detailed species timeline over the past 600 million years; from soft sea worms onwards, as part of his excellent analysis and comparison. For the previous 1000 million years the 'building blocks' of life were evolving. The explosion of life and evolution of species beginning 600 million years ago is now hypothesized to confirm that a slow drying of an ocean environment compelled species to adapt. One example is a fossil deposit near Sydney, Australia in which Armored Fish (water oxygen breathing) are found trapped with Lung fish (air breathing) species. A species found in S. America and Africa.
- 2) Fossil beds are found on mountaintops, consisting of dried mud shales, also ancient sea creature skeletons are excavated from cliff faces a long way above today's sea levels. As in mountain top excavations in N. Africa where skeletons of gigantic sea creatures of crocodile-like construction which lived on seafood.
- 3) Large salt deposit mines are remnants of these lost seas.
- 4) Prof. Kanarev has published a WEB paper on the radiation emitted by cooling to liquifaction of Hydrogen in which wavelengths of C.M.B. are generated. He also includes a table of electron energy values and associated photon temperature values which can approach 4500K.
- 5) 'Robitaille' on the generation of C.M.B. by seawater. In the paper he states that submarines cannot transmit at microwave frequencies under water,
- 6) The history of Earth's formation, not stated, but assumed, that Sea levels/ volumes are static. Ice age glaciers in the tropics and glacial valleys require a changed perspective, from land rising and falling and to explain inland fossil deposits and the 'Fossil Column' (fossil bands changing with sediment depth) as a consequence of more water depth. Further giant sea animal populations and associated food chain would need a lot more room? [A future Phd. Study perhaps?] The application of a sudden great water volume providing a rapid cooling medium for Earth's thin crust. A thin crust which shrinks and fractures, creating tectonic plates. Current 'Physics' has no hypothesis for the present seawater supply other than it was produced somehow, from hot gasses, or maybe a passing meteorite.
- 7) The COLORADO Plateau covers a large portion of America showing the characteristics of a flat sea bed at an elevation of around 3000m above existing sea level. Thousands of papers have been written on the sedimentary layers uncovered by the river gorge, where the lowest deposits were laid down in the Jurassic age 600m.yrs. ago. These sediments line up with the beginning of the 'Fossil Column' and after the Snowball Earth.

Refer snowballearth .org:-

“ ...the global carbon cycle underwent a major reorganization consistent with progressive oxidation... and a suggestive link to the first complex true fossils at about 548M.yrs...”

The science paper, based on many hundreds of studies, notes that continental drift is about 600 million years old.

Further the site contains maps of continental drift for this period showing how America's land mass increased above water.

It is difficult to comprehend how the world's land mass could expand 3000m radius simultaneously everywhere, when a loss of sea water is a relatively simple explanation. The Appalachian Mountains were higher than the Himalayas but were weathered down by vast water volumes, depositing sediment to the west and consistent with the fossil column.

HYPOTHESIS

It should be noted that N.A.S.A found water existing all over SPACE, an affinity for hydrogen and oxygen to combine, yet missing from our neighboring planets.

Tropical thunderstorms may result in trapped hydrogen recombining with oxygen to form the intense lightning associated (a fuel cell). It could also be speculated the hydrogen filled, German zeppelin (Hindenburg), sprung a leak and generated its own hydrogen - to atmospheric oxygen flash, which caused the fire.

The generation of C.M.B. and the loss of ocean depth are part of a cycle linked to the construction and destruction of planet Earth. That is the water deposit for ocean construction and the subsequent loss of ocean water are connected.

The Earth's magnetic field requires a flow of electric current (D.C.).

D.C. at low voltage and high currents is the correct environment for electrolysis, with salt water as the electrolyte. Principally occurring in tropic zones, where 26amps have been measured. In polar regions 58amps have been recorded. Hydrogen and Oxygen are released; Oxygen dissolves and aerates the water, as required by 'life explosion' quotation above, while hydrogen is ejected into SPACE, where it cools rapidly below liquifaction temperature and releases C.M.B. photons. (Kanarev) and (Robitaille)

Thus the origin of the sudden oxygen explosion, evidenced in the development of the Earth's early environment (600 million years ago), by oxidizing the early oceans of raw elements and generating oxygen rich water. The beginning of the animal evolution;- fossils.

OCEAN CONSTRUCTION

The recent engineering interest in Hydrogen fuel cells and the vast abundance of SPACE hydrogen raises the possibility of a 'Cosmic Fuel Cell' to generate the necessary water volumes needed to filling the oceans?

It is noticeable that a volcanic ash cloud is a mass of lightning energy and could signify erupting hydrogen is explosively combining with atmospheric oxygen, hence the concentrate of lightning, - 'Another fuel cell?'

CONCLUSION

In geological time scales vast quantities of water deposits are required to wash away mountain ranges over a long period depositing the sedimentary layers. The deposition of vast sedimentary beds coincides with the catastrophic effect on live

sea creatures being buried alive as observed in the fossil column.

Only SPACE resources could have the capacity to produce 'Cosmic' fuel cells as required to deposit the water quantities needed for these ocean volumes, deposited in a short time period, maybe several cm /hour for years. Vast cooling water volumes now create a brittle Earth crust which fractured to form tectonic plates and start the continental drift 600 million years ago. Cooling and oxygen production also enabled life to form simultaneously.

D.C. and Electrolysis can now take effect to source oxygen needs for this new life and in geological time partially evaporate the oceans for ensuing land air breathing animals. To lose 3000m needs a loss of about 1mm per 200yrs.

The physics of electrolysis is basic high school laboratory physics.

Fuel cell technology is more than 150yrs old.

Prof. Kanarev's paper on Electron-hydrogen energy levels and microwave physics will need some WEB research.

Ocean electrolysis generated hydrogen; forms charge flashes when in contact with air oxygen causing intense lightning. On a minor scale free hydrogen entering an aircraft's relatively oxygen rich atmosphere could ignite within the aircraft and vaporize fragile cabling destroying instrumentation.

This would be especially dangerous where the hydrogen could concentrate when trapped below tropical clouds.

November 2015